1 - 10 of about 38 for code block conversion unit which codes information bits which are inputted as a block of a two dimensional image made up from mix n pixels and arranging pixels which represent the information bits in code area (About this page) - 0.04 sec.

Apparatus and method for processing data with an arithmetic unit ...

... the two dimensional image being organized in a two dimensional grid pattern of cells, each cell containing an M by N matrix of pixels, and the words ...

www.freepatentsonline.com/6217234.html - 506k - Cached

1.

2.

3.

4.

(WO/2003/021373) VECTOR-MATRIX MULTIPLICATION

... diagram of an **information** transmission and reception process, in ... is a schematic **block** diagram of a rake receiver, in accordance with an exemplary ...

www.wipo.int/pctdb/en/wo.jsp?IA=IL2002000727&DISPLAY=DESC - 322k - Cached

Memory interface for reading/writing data from/to a memory - Patent 6799246

... recording semihalftone images and device for **conversion of image** dot tonal value ... a substantially constant amount of transform data per transmission unit block ...

www.freepatentsonline.com/6799246.html - 557k - Cached

Computer graphics processing, operator interface processing, and ...

... unit that compares, when the touch-area detecting unit detects two touch ... In the designated region of interest, a two-dimensional projected image that ...

freshpatents.com/Computer-graphics-processing-operator-interface-pr... - 273k - Cached

5.

Computer graphics processing, operator interface processing, and ...

... the plurality of pixels, and an image signal line drive unit including a film ... device includes M×N numbers (M, and N are integers more than two) of pixels. ...

freshpatents.com/Computer-graphics-processing-operator-interface-pr... - 252k - Cached

6.

Method and apparatus for compressing and storing data indicative of a ...

... amount of data **bits which** is substantially the same for each said **block unit**; **and** ... a coding step of quantizing, **in block** units, **the image** data orthogonally ...

www.patentmonkey.com/PM/patentid/6198848.aspx - 230k

7.

Image processing apparatus and method - Patent 6915014

... code, AC Huffman code and annexed bits of one block (8.times.8 input pixels) and ... information inputted from the input terminal 100 is cut into, say, a block of ...

www.patentmonkey.com/PM/patentid/6915014.aspx - 195k

8.

U.S. Patent: 6198848 - Method and apparatus for compressing and storing ...

... for quantizing, **in block** units, **the image** data orthogonally transformed ... quantization **unit** 105 and outputs the result to a buffer 302. The Huffman **code** ...

www.everypatent.com/comp/pat6198848.html - 139k

9.

Parallel Huffman decoder

... of cells, each cell containing an **M** by **N** matrix **of pixels**, **and the** words ... matrix **of pixels**, **and** that is not aligned with **the two dimensional** grid pattern, ...

patentopedia.us/inbred maize line ph0hc/parallel huffman decoder.html - 525k

10.

Image processing apparatus, method and memory medium therefor - Patent ...

... two-dimensional bar codes and print such codes in a marginal area of ... in the unit of a block of M.times.N pixels formed by dividing the image, and the ...

www.wikipatents.com/7058232.html - 192k

1 2 Next >



code block conversion unit which codes information bits whic

Yahoo! Toolbar is now powered with Search Assist. Download it now.

© 2008 Yahoo! Privacy / Legal - Submit Your Site

11 - 16 of about 38 for code block conversion unit which codes information bits which are inputted as a block of a two dimensional image made up from mix n pixels and arranging pixels which represent the information bits in code area (<u>About this page</u>) - 0.01 sec.

11.

Token-based adaptive video processing arrangement

... of cells, each cell containing an **M** by **N** matrix **of pixels**, **and the** words ... matrix **of pixels**, **and** that is not aligned with **the two dimensional** grid pattern, ... **devileye.net**/catalog/instrument with independent pliers/... - 525k

12.

www.patentlens.net/textserver/getfulltext.html?patent=US/4363036

... consists of a window predictor **made up of N pixels**, **X**.sub.0, **X**.sub.1, **X**.sub.2. ... the symbol; **two bits** (b.sub.10 -b.sub.11) **represent the** source state of the ...

www.patentlens.net/textserver/getfulltext.html?patent=US/4363036 - 150k

13.

Video decompression

... of cells, each cell containing an **M** by **N** matrix **of pixels**, **and the** words ... matrix **of pixels**, **and** that is not aligned with **the two dimensional** grid pattern, ...

patentopedia.us/molten aluminum filtration/video decompression.html - 527k

14.

Method and apparatus for compressing digital data using non-adaptive ...

... runs are represented by variable-length **codes**, such as a Huffman **code** set, and ... consists of a window predictor **made up of N pixels**, **X**.sub.0, **X**.sub.1, **X**.sub.2. ...

www.patentgenius.com/patent/4363036.html - 123k

15.

Method for addressing data having variable data width using a fixed ...

... of cells, each cell containing an **M** by **N** matrix **of pixels**, **and the** words ... matrix **of pixels**, **and** that is not aligned with **the two dimensional** grid pattern, ...

www.patentgenius.com/patent/6119213.html - 486k

16.

esp@cenet description view

For this reason, if the ID code, the position and the direction (angle) are to ... image coordinates after conversion (i, j) is converted into a coordinates (x y) ...

v3.espacenet.com/textdes?DB=EPODOC&IDX=EP1319430&QPN=EP1319430 - 178k

In order to show you the most relevant results, we have omitted some entries very similar to the ones already displayed.

If you like, you can repeat the search with the omitted results included.

< Prev 1 2



code block conversion unit which codes information bits which

Yahoo! Toolbar is now powered with Search Assist. Download it now.

© 2008 Yahoo! Privacy / Legal - Submit Your Site